



K P INTERNATIONAL PRIVATE LIMITED

604, Manas Complex, Jodhpur Crsss Road, Satellite, Ahmedatad-380015, India
Phone No:- 079-26923570/87

TECHNICAL SPECIFICATION OF YELLOW: 12

• PRODUCT :

(a) NAME	: Pigment Yellow G
(b) CHEMICAL CLASS	: Dia Azo Pigment without lake forming group
(c) CHEMICAL TYPE	: Organic
(d) COLOR INDEX NAME	: Pigment Yellow : 12
(e) COLOR INDEX NUMBER	: 21090
(f) CAS NUMBER	: 6358-85-6

• PHYSICAL PROPERTIES :

(a) SPECIFIC GRAVITY (20' C)	: 1.4
(b) OIL ABSORPTION	: 43 cc.
(c) SIEVE RESIDUE (350 mesh)	: 1 % max.
(d) MOISTURE CONTENT	: 1 % max.
(e) WATER SOLUBLE	: 1 % max.
(f) PH OF EQUQUEOUS Soln	: 7

• HEAT RESISTANCE :

(a) 120 Centi. for 30 mimutes	: Stable
(b) 150 Centi. for 20 mimutes	: Stable
(c) 180 Centi. for 10 mimutes	: Darker

• FASTNESS PROPERTIES : (1- 5 Scale : 1 Poor - 5 Excellent)

Water	: 5	Acetone	: 4
Linseed Oil	: 5	Ethanol	: 5
Butanol	: 5	Methyl Ethyl Ketone	: 5
Xylene	: 3	Menaral Turpentine	: 5
Butyl Acetate	: 4	5% Soap Soln	: 5

• LIGHT FASTNESS : (1 - 8 Scale : 1 Very low - 8 Outstanding)

25% Shade : 4 10% Shade : 4 5% Shade : 3

• APPLICATIONS : Paint, Printing ink, Plastics, Rubber, Soap, Cement Color etc.

• HAZARDOUS INGREDIENTS : None

• NOTES : This technical information is offered for guidance but without guarantee.

