



K P INTERNATIONAL PRIVATE LIMITED

604, Manas Complex, Jodhpur Crss Road, Satellite, Ahmedatad-380015, India
Phone No:- 079-26923570/87

TECHNICAL SPECIFICATION OF YELLOW: 13

- **PRODUCT :**

(a) NAME	: Pigment Yellow GRX
(b) CHEMICAL CLASS	: Dia Azo Pigment
(c) CHEMICAL TYPE	: Organic
(d) COLOR INDEX NAME	: Pigment Yellow : 13
(e) COLOR INDEX NUMBER	: 21100
(f) CAS NUMBER	: 5102-83-0
(g) FORMULA	: C ₃₆ H ₃₄ CL ₂ N ₆ O ₄

- **PHYSICAL PROPERTIES :**

(a) SPECIFIC GRAVITY (20' C)	: 1.3
(b) OIL ABSORPTION	: 37 cc.
(c) SIEVE RESIDUE (350 mesh)	: 1 % max.
(d) MOISTURE CONTENT	: 1 % max.
(e) WATER SOLUBLE	: 1 % max.
(f) PH OF EQUQUEOUS Soln	: 7

- **HEAT RESISTANCE :**

(a) 120 Centi. for 30 mimutes	: Stable
(b) 150 Centi. for 20 mimutes	: Stable
(c) 200 Centi. for 10 minutes	: Stable

- **FASTNESS PROPERTIES : (1- 5 Scale : 1 Poor - 5 Excellent)**

Water	: 5	Acetone	: 4-5
Linseed Oil	: 5	Ethanol	: 5
Butanol	: 5	Methyl Ethyl Ketone	: 4
Xylene	: 5	Menaral Turpentine	: 5
Butyl Acetate	: 5	5% Soap Soln	: 5

- **LIGHT FASTNESS : (1 - 8 Scale : 1 Very low - 8 Outstanding)**

25% Shade : 5-6 10% Shade : 5 5% Shade : 4

- **APPLICATIONS** :Paint, Printing ink, Plastics, Rubber, Soap, Cement Color & Cable compound.

- **HAZARDOUS INGREDIENTS** : None

- **NOTES** :This technical information is offered for guidance but without guarantee.

